

ALETHEIA

PARAPHRASES · VERIFICATION REVIEW

Verification Report

synthetic_paraphrases.txt

Report date 2026-09-28	Report ID 66207b1081dd	Verifier Build Fingerprint Not recorded
SHA-256 hash of the document f73470b39ae950a3a28a5198ae88e1ecbd7dc79df2e227f7988821930b028fc9		

Overall status · ! Correction required

At a glance

0 ✓ Verified	1 ! Correction required Finding 2	2 ◆ Needs source or counsel Finding 1 · Panel unavailable
-----------------	---	---

Each passage appears once, with all its checks together. Opinions and incomplete checks require counsel's review; they are not counted as verified.

WITHHELD

Certification is withheld on two grounds: the report does not identify the build of Aletheia's verification software that produced it, so no one can prove which version of the checks ran or reproduce the result; and a complete and successful pre-flight self-test is not recorded. Individual findings may guide review, but they do not certify the document.

A complete successful pre-flight self-test is not recorded for every checking method; consult the results below before relying on its checks.

Contents

Methodology	3
Review limits	4
Paraphrase review	4
Appendix A – Annotated source	9
Technical Record	10

Finding index

◆ Needs source or counsel	Finding 1 · Supported
! Correction required	Finding 2 · Overstated – narrow it to what the source supports
◆ Needs source or counsel	Panel unavailable

Scope of Review

0

Quotation checks recorded (deterministic checks)

0

Sources named in completed checks

0

Citation and pincite checks recorded (deterministic checks)

Not measured in this packet

Characters compared verbatim

Deterministic checks may examine the same quotation; these are not counts of distinct quotations.

Methodology

01 Rule-based quotation and citation checks

The packet does not separately attest every normalization or alteration method; only the recorded checks below are claimed.

02 Pre-flight self-test

A complete successful pre-flight self-test is not recorded for every checking method; consult the results below before relying on its checks.

03 Paraphrase review

Two readers receive the source independently, each blind to the other's answer. Each reader cites the one passage it relies on most. A tiebreaker is called when they do not cleanly agree.

Each reader must support its view with a passage quoted word for word from the source; a quotation not confirmed word for word voids that reader's vote. A fixed counting rule, not any model, sets the panel result.

The readers could not run	◆ Panel unavailable
Fewer than two quotations are confirmed	◆ Inconclusive
No counted vote supports the paraphrase	! Not supported by the source
Every counted vote supports it	◆ Supported
The votes divide evenly	◆ Inconclusive
The votes are mixed, with a majority in either direction	! Overstated

Each reader selects at most one passage and records the reason for that choice. The selections and the recorded reasons do not establish an exhaustive search of every passage for or against the paraphrase, and they do not reveal reasoning the readers did not record.

Run safeguards and omitted checks

Pre-flight self-test assurance incomplete. A successful pre-flight self-test is not recorded for every engaged engine; no report-wide assurance follows from silence. Report preparer: resolve the failed or missing engine tests listed in the Technical Record and re-run verification. Counsel must check affected passages directly meanwhile.

Verification software build not identified. Individual findings may guide review, but this report cannot certify the document: the build fingerprint of Aletheia's verification software is missing, and without it no one can prove which version of the checks produced this result or reproduce it. Report preparer: re-run the verification using an installed, stamped release of Aletheia's verification software – not a development copy – and generate a new report from that run. The installed release records its build fingerprint automatically; manually noting a version number is not sufficient.

Not examined. No completed check covers this material; silence is not a pass. Report preparer: submit the identified section and its sources for the omitted check. Counsel must review it directly if that check remains unavailable.

Review limits

Some checks were not completed; consult the Technical Record for their scope and reasons.

Every combination of method, claim type, and source type that this run did not check, with the reason.

Why not: THE SOURCE TEXT IS NOT RETAINED BY THIS SURFACE. Each admitted reading carries the support span and offsets recorded by the span gate; a void reading may carry no admitted span. The locator is retained, but this appendix does not hold the full source opinion, so the span is re-checkable only against the cited source itself. NOT COUNTED AS COVERAGE, AND NOT HIDDEN: 5 row(s) of this packet come from this seat and are in `claims[]`, labelled. This pair is declared UNCHECKED and does not appear in `coverage.checked`.

Engine: paraphrase_panel.assess_paraphrase; **Claim type:** holding_relevance; **Source type:** *; **Tier:** model_advisory

Engine: paraphrase_panel.assess_paraphrase; **Claim type:** holding_relevance; **Source type:** *; **Tier:** model_advisory

Engine: paraphrase_panel.assess_paraphrase; **Claim type:** holding_relevance; **Source type:** *; **Tier:** model_advisory

Why not: THE PARAPHRASE PANEL DID NOT RUN (Synthetic outage: neither blind reader was available.). `readers` is None rather than [] for exactly this reason: an empty list would read as a panel that found nothing, and this is a panel that did not happen. NOT COUNTED AS COVERAGE, AND NOT HIDDEN: 5 row(s) of this packet come from this seat and are in `claims[]`, labelled. This pair is declared UNCHECKED and does not appear in `coverage.checked`.

Engine: paraphrase_panel.assess_paraphrase; **Claim type:** holding_relevance; **Source type:** *; **Tier:** model_advisory

Paraphrase review

Two readers receive the source independently, each blind to the other's answer. Each reader cites the one

passage it relies on most. A tiebreaker is called when they do not cleanly agree.

◆ NEEDS SOURCE OR COUNSEL

Finding 1 · Supported

A tenant can recover reasonable repair costs after written notice and a thirty-day opportunity to act.

Source selections: [A] first reader, solid underline; [B] second reader, double underline; [T] tiebreaker, dotted underline.

Source and selected passages ·
synthetic_paraphrase_opinion.txt

SYNTHETIC COURT OPINION – fictional demonstration only.

[A] The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act.

Recovery is limited to reasonable expenses; immediate reimbursement of all costs is not authorized by this holding.

Source and selected passages ·
synthetic_paraphrase_opinion.txt

SYNTHETIC COURT OPINION – fictional demonstration only.

[B] The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act.

Recovery is limited to reasonable expenses; immediate reimbursement of all costs is not authorized by this holding.

[A] FIRST READER

SUPPORTED

The quoted passage matches the source word for word (19 words).

Synthetic opinion, line 3

REASONING

The restatement retains both notice and the time to act.

[B] SECOND READER

SUPPORTED

The quoted passage matches the source word for word (19 words).

Synthetic opinion, line 3

REASONING

Reasonable costs and the required opportunity to act are preserved.

No tiebreaker was needed: two admitted readers agreed.

[1.1] **What you may rely on:** The source quotations accepted by the readers support this paraphrase. Counsel determines whether the paraphrase supports the intended legal point.

[1.2] **Next step and owner:** Counsel: read the selected passages and reasons above and record whether the paraphrase supports the point you intend to make.

Counsel's conclusion

Counsel conclusion and initials

[Technical Record C0](#) · [Technical Record C1](#)

! CORRECTION REQUIRED

Finding 2 · Overstated – narrow it to what the source supports

Tenants may always recover all repair costs immediately after notifying the landlord.

Source selections: [A] first reader, solid underline; [B] second reader, double underline; [T] tiebreaker, dotted underline.

Source and selected passages · synthetic_paraphrase_opinion.txt

SYNTHETIC COURT OPINION – fictional demonstration only.

[A] The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act.

[B] Recovery is limited to reasonable expenses; immediate reimbursement of all costs is not authorized by this holding.

Source and selected passages · synthetic_paraphrase_opinion.txt

SYNTHETIC COURT OPINION – fictional demonstration only.

The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act.

[T] Recovery is limited to reasonable expenses; immediate reimbursement of all costs is not authorized by this holding.

[A] FIRST READER

SUPPORTED

The quoted passage matches the source word for word (19 words).

Synthetic opinion, line 3

REASONING

I read the paraphrase as a general summary of the remedy, subject to the stated conditions.

[B] SECOND READER

NOT SUPPORTED

The quoted passage matches the source word for word (17 words).

Synthetic opinion, line 5

REASONING

Always, all costs, and immediately exceed the conditional remedy and thirty-day period.

[T] TIEBREAKER

NOT SUPPORTED

The quoted passage matches the source word for word (17 words).

Synthetic opinion, line 5

REASONING

The opinion requires reasonable expenses and a waiting period; the paraphrase removes both limits.

[2.1] What you may rely on: The source quotations accepted by the readers do not sustain this paraphrase as written; the evidence supports a narrower statement.

[2.2] Next step and owner: Counsel: narrow the paraphrase using the nearest-supported evidence below, or supply additional authority. Record your conclusion and submit the revision for review.

Nearest-supported evidence retained by the panel

The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act.

Synthetic opinion, line 3 · reader-a

Counsel's conclusion

Counsel conclusion and initials

[Technical Record C2](#) · [Technical Record C3](#) · [Technical Record C4](#)

◆ NEEDS SOURCE OR COUNSEL

Panel unavailable – re-run or review directly

A tenant may recover consequential business losses as well as repair costs.

Synthetic outage: neither blind reader was available.

What you may rely on: No panel conclusion establishes whether the paraphrase is supported.

Next step and owner: Counsel: read the authority and record your conclusion, or ask the report preparer to restore the independent reader seats, supply the fuller source, and re-run this section.

Counsel's conclusion

Counsel conclusion and initials

Appendix A – Annotated source

synthetic_paraphrase_opinion.txt

Unmarked source text is context only and has not been verified by a highlight.

1	SYNTHETIC COURT OPINION – fictional demonstration only.	
2		
3	The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act.	
4		
5	Recovery is limited to reasonable expenses; immediate reimbursement of all costs is not authorized by this holding.	

Technical Record

Scope of Review

0
Quotation checks recorded (deterministic checks)

0
Citation and pincite checks recorded (deterministic checks)

0
Sources named in completed checks

Not measured in this packet
Characters compared verbatim

Deterministic checks may examine the same quotation; these are not counts of distinct quotations.

Rule-based quotation and citation checks

The packet does not separately attest every normalization or alteration method; only the recorded checks below are claimed.

The record carries a complete source span-gate admission receipt. Admission allows canonical quotation conventions; it is not necessarily a byte-for-byte match.

Hard failures (0)

No findings in this class.

Advisory concerns (2)

A model reviewer raised a concern. Rule-based checks decide results, while models only advise; nothing in this section sets a result, and a run with no hard failures is not made worse by anything here.

CONCERN RAISED – a model's opinion, never a finding

MODEL_ADVISORY Technical verdict advisory_concern_raised · disposition accuses · severity advisory_concern · claim type holding_relevance · tier model_advisory · engine paraphrase_panel.assess_paraphrase · #3

Review the opinion and decide. No findings were made, and no deterministic check established it.

Tenants may always recover all repair costs immediately after notifying the landlord.

Source against which it was checked: This finding names no source document, and no passage is shown.

The correction – the wording the source actually carries The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act.

What the model said: PANEL CLASS OVERSTATED. an ADMISSIBLE reader -- its support span is verbatim in the source -- that did NOT sustain the restatement. A model read the passage and disagreed

with the draft about what it says: advisory, and it gates nothing NOT a script gate, and it sets no packet status.

Model advisory: ADVISORY_CONCERN_RAISED

No matched passage to display. refused -- there is no matched span to show

Location within the draft: **NOT DRAWN** – this producer does not report where in the artifact its rows sit

Information provided by this engine and packet (25)

Whether the reading passed the span gate: True (the engine's own field name: admissible)

A field disclosed by the engine under its own name: (the engine's own field name: furniture_kind)

The model that produced the draft: none:human_authored (the engine's own field name: generator_model)

Whether the reviewer model was independent of the generator: None (the engine's own field name: independent)

Where that nearest span sits: Synthetic opinion, line 3 (the engine's own field name: nearest_supported_locator)

A field disclosed by the engine under its own name: reader-a (the engine's own field name: nearest_supported_seat)

The nearest span a reader sustained: The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act. (the engine's own field name: nearest_supported_span)

Why no support span was shown: (the engine's own field name: no_span_reason)

The panel's own class for this restatement: OVERSTATED (the engine's own field name: panel_class)

A field disclosed by the engine under its own name: panel-8e1804ce04155ee6 (the engine's own field name: panel_id)

A field disclosed by the engine under its own name: Always, all costs, and immediately exceed the conditional remedy and thirty-day period. (the engine's own field name: rationale)

A field disclosed by the engine under its own name: Scripted synthetic family reader-b (the engine's own field name: reader_lineage)

A field disclosed by the engine under its own name: reader-b (the engine's own field name: reader_model)

A field disclosed by the engine under its own name: reader (the engine's own field name: reader_role)

Which blind reader: reader-b (the engine's own field name: seat)

A field disclosed by the engine under its own name:

reason admissible; **span_offsets** [176, 289]; **support_span** Recovery is limited to reasonable expenses; immediate reimbursement of all costs is not authorized by this holding.

(the engine's own field name: span_gate_receipt)

A field disclosed by the engine under its own name:

176; 289

(the engine's own field name: span_offsets)

A field disclosed by the engine under its own name: 17 (the engine's own field name: span_word_count)

The reader's own stance: NOT_SUPPORTED (the engine's own field name: stance)

A field disclosed by the engine under its own name:

basis raw; **end** 297; **excerpt** Recovery is limited to reasonable expenses; immediate reimbursement of all costs is not authorized by this holding.; **reason** ; **source** synthetic_paraphrase_opinion.txt; **start** 182; **status** located

(the engine's own field name: support_evidence_span)

Where that span sits in the source: Synthetic opinion, line 5 (the engine's own field name: support_locator)

The verbatim source span the reader was gated on: Recovery is limited to reasonable expenses; immediate reimbursement of all costs is not authorized by this holding. (the engine's own field name: support_span)

Why this finding has no audit-ready source document: Audit note · unaudited source

Why the reading was voided: admissible (the engine's own field name: void_reason)

A field disclosed by the engine under its own name: False (the engine's own field name: weak_span)

C3

CONCERN RAISED – a model's opinion, never a finding

MODEL_ADVISORY Technical verdict advisory_concern_raised · disposition accuses · severity advisory_concern · claim type holding_relevance · tier model_advisory · engine paraphrase_panel.assess_paraphrase · #4

Review the opinion and decide. No findings were made, and no deterministic check established it.

Tenants may always recover all repair costs immediately after notifying the landlord.

Source against which it was checked: This finding names no source document, and no passage is shown.

The correction – the wording the source actually carries The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act.

What the model said: PANEL CLASS OVERSTATED. an ADMISSIBLE reader -- its support span is verbatim in the source -- that did NOT sustain the restatement. A model read the passage and disagreed with the draft about what it says: advisory, and it gates nothing NOT a script gate, and it sets no packet status.

Model advisory: ADVISORY_CONCERN_RAISED

No matched passage to display. refused -- there is no matched span to show

Location within the draft: NOT DRAWN – this producer does not report where in the artifact its rows sit

Information provided by this engine and packet (25)

Whether the reading passed the span gate: True (the engine's own field name: admissible)

A field disclosed by the engine under its own name: (the engine's own field name: furniture_kind)

The model that produced the draft: none:human_authored (the engine's own field name: generator_model)

Whether the reviewer model was independent of the generator: None (the engine's own field name: independent)

Where that nearest span sits: Synthetic opinion, line 3 (the engine's own field name: nearest_supported_locator)

A field disclosed by the engine under its own name: reader-a (the engine's own field name: nearest_supported_seat)

The nearest span a reader sustained: The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act. (the engine's own field name: nearest_supported_span)

Why no support span was shown: (the engine's own field name: no_span_reason)

The panel's own class for this restatement: OVERSTATED (the engine's own field name: panel_class)

A field disclosed by the engine under its own name: panel-8e1804ce04155ee6 (the engine's own field name: panel_id)

A field disclosed by the engine under its own name: The opinion requires reasonable expenses and a waiting period; the paraphrase removes both limits. (the engine's own field name: rationale)

A field disclosed by the engine under its own name: Scripted synthetic family tiebreaker (the engine's own field name: reader_lineage)

A field disclosed by the engine under its own name: tiebreaker (the engine's own field name: reader_model)

A field disclosed by the engine under its own name: tiebreaker (the engine's own field name: reader_role)

Which blind reader: tiebreaker (the engine's own field name: seat)

A field disclosed by the engine under its own name:
reason admissible; **span_offsets** [176, 289]; **support_span** Recovery is limited to reasonable expenses; immediate reimbursement of all costs is not authorized by this holding.
 (the engine's own field name: span_gate_receipt)

A field disclosed by the engine under its own name:
 176; 289
 (the engine's own field name: span_offsets)

A field disclosed by the engine under its own name: 17 (the engine's own field name: span_word_count)

The reader's own stance: NOT_SUPPORTED (the engine's own field name: stance)

A field disclosed by the engine under its own name:
basis raw; **end** 297; **excerpt** Recovery is limited to reasonable expenses; immediate reimbursement of all costs is not authorized by this holding.; **reason** ; **source** synthetic_paraphrase_opinion.txt; **start** 182; **status** located
 (the engine's own field name: support_evidence_span)

Where that span sits in the source: Synthetic opinion, line 5 (the engine's own field name: support_locator)

The verbatim source span the reader was gated on: Recovery is limited to reasonable expenses; immediate reimbursement of all costs is not authorized by this holding. (the engine's own field name: support_span)

Why this finding has no audit-ready source document: Audit note · unaudited source

Why the reading was voided: admissible (the engine's own field name: void_reason)

A field disclosed by the engine under its own name: False (the engine's own field name: weak_span)

C4

Not established (abstentions) (0)

No findings in this class.

Nothing raised – and no passage established (3)

Read this section as an absence of findings, not as a pass. Nothing here is a quotation found in a named document; those appear under Verified. A row is here because a model reviewer ran and raised nothing (a model's silence is never a rule-based match), or because the row is a whole-artifact measure, such as a ratio or count, which says nothing about any sentence in the artifact, or because the check that produced it names no source document, or because it is a web record, which records where an assertion was found on the web and compares no passage of this document against anything. Each row's own next move indicates which applies.

NOTHING RAISED – the review RAN and raised nothing: an opinion's SILENCE, never a gate's match

MODEL_ADVISORY Technical verdict advisory_no_finding · disposition abstains · severity not_established · claim type holding_relevance · tier model_advisory · engine paraphrase_panel.assess_paraphrase · #0

Nothing to do. A model read this and raised nothing – that is an opinion's SILENCE, not a gate's match, and doctrine §4 makes it no part of what this packet establishes. Whether the quotations were checked is a question for the deterministic rows and the coverage table.

A tenant can recover reasonable repair costs after written notice and a thirty-day opportunity to act.

No correction was offered for this finding.; Source against which it was checked: This finding names no source document, and no passage is shown.

What the model said: PANEL CLASS SUPPORTED. an admissible reader that sustains the restatement against a verbatim source span -- advisory, and it gates nothing NOT a script gate, and it sets no packet status.

Model advisory: ADVISORY_NO_FINDING

No matched passage to display. this engine does not report source offsets

Location within the draft: **NOT DRAWN** – this producer does not report where in the artifact its rows sit

Information provided by this engine and packet (25)

Whether the reading passed the span gate: True (the engine's own field name: admissible)

A field disclosed by the engine under its own name: (the engine's own field name: furniture_kind)

The model that produced the draft: none:human_authored (the engine's own field name: generator_model)

Whether the reviewer model was independent of the generator: None (the engine's own field name: independent)

Where that nearest span sits: None (the engine's own field name: nearest_supported_locator)

A field disclosed by the engine under its own name: None (the engine's own field name: nearest_supported_seat)

The nearest span a reader sustained: None (the engine's own field name: nearest_supported_span)

Why no support span was shown: (the engine's own field name: no_span_reason)

The panel's own class for this restatement: SUPPORTED (the engine's own field name: panel_class)

A field disclosed by the engine under its own name: panel-cf7f8c7deae0090b (the engine's own field name: panel_id)

A field disclosed by the engine under its own name: The restatement retains both notice and the time to act. (the engine's own field name: rationale)

A field disclosed by the engine under its own name: Scripted synthetic family reader-a (the engine's own field name: reader_lineage)

A field disclosed by the engine under its own name: reader-a (the engine's own field name: reader_model)

A field disclosed by the engine under its own name: reader (the engine's own field name: reader_role)

Which blind reader: reader-a (the engine's own field name: seat)

A field disclosed by the engine under its own name:

reason admissible; **span_offsets** [53, 175]; **support_span** The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act. (the engine's own field name: span_gate_receipt)

A field disclosed by the engine under its own name:

53; 175 (the engine's own field name: span_offsets)

A field disclosed by the engine under its own name: 19 (the engine's own field name: span_word_count)

The reader's own stance: SUPPORTED (the engine's own field name: stance)

A field disclosed by the engine under its own name:

basis raw; **end** 180; **excerpt** The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act.; **reason** ; **source** synthetic_paraphrase_opinion.txt; **start** 57; **status** located (the engine's own field name: support_evidence_span)

Where that span sits in the source: Synthetic opinion, line 3 (the engine's own field name: support_locator)

The verbatim source span the reader was gated on: The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act. (the engine's own field name: support_span)

Why this finding has no audit-ready source document: [Audit note · unaudited source](#)

Why the reading was voided: admissible (the engine's own field name: void_reason)

A field disclosed by the engine under its own name: False (the engine's own field name: weak_span)

CO

NOTHING RAISED – the review RAN and raised nothing: an opinion's SILENCE, never a gate's match

MODEL ADVISORY Technical verdict advisory_no_finding · disposition abstains · severity not_established · claim type holding_relevance · tier model_advisory · engine paraphrase_panel.assess_paraphrase · #1

Nothing to do. A model read this and raised nothing – that is an opinion's SILENCE, not a gate's match, and doctrine §4 makes it no part of what this packet establishes. Whether the quotations were checked is a question for the deterministic rows and the coverage table.

A tenant can recover reasonable repair costs after written notice and a thirty-day opportunity to act.

No correction was offered for this finding.; Source against which it was checked: This finding names no source document, and no passage is shown.

What the model said: PANEL CLASS SUPPORTED. an admissible reader that sustains the restatement against a verbatim source span -- advisory, and it gates nothing NOT a script gate, and it sets no packet status.

Model advisory: ADVISORY_NO_FINDING

No matched passage to display. this engine does not report source offsets

Location within the draft: NOT DRAWN – this producer does not report where in the artifact its rows sit

Information provided by this engine and packet (25)

Whether the reading passed the span gate: True (the engine's own field name: admissible)

A field disclosed by the engine under its own name: (the engine's own field name: furniture_kind)

The model that produced the draft: none:human_authored (the engine's own field name: generator_model)

Whether the reviewer model was independent of the generator: None (the engine's own field name: independent)

Where that nearest span sits: None (the engine's own field name: nearest_supported_locator)

A field disclosed by the engine under its own name: None (the engine's own field name: nearest_supported_seat)

The nearest span a reader sustained: None (the engine's own field name: nearest_supported_span)

Why no support span was shown: (the engine's own field name: no_span_reason)

The panel's own class for this restatement: SUPPORTED (the engine's own field name: panel_class)

A field disclosed by the engine under its own name: panel-cf7f8c7deae0090b (the engine's own field name: panel_id)

A field disclosed by the engine under its own name: Reasonable costs and the required opportunity to act are preserved. (the engine's own field name: rationale)

A field disclosed by the engine under its own name: Scripted synthetic family reader-b (the engine's own field name: reader_lineage)

A field disclosed by the engine under its own name: reader-b (the engine's own field name: reader_model)

A field disclosed by the engine under its own name: reader (the engine's own field name: reader_role)

Which blind reader: reader-b (the engine's own field name: seat)

A field disclosed by the engine under its own name:

reason admissible; **span_offsets** [53, 175]; **support_span** The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act.
(the engine's own field name: span_gate_receipt)

A field disclosed by the engine under its own name:

53; 175
(the engine's own field name: span_offsets)

A field disclosed by the engine under its own name: 19 (the engine's own field name: span_word_count)

The reader's own stance: SUPPORTED (the engine's own field name: stance)

A field disclosed by the engine under its own name:

basis raw; **end** 180; **excerpt** The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act.; **reason** ; **source**

synthetic_paraphrase_opinion.txt; **start** 57; **status** located
(the engine's own field name: support_evidence_span)

Where that span sits in the source: Synthetic opinion, line 3 (the engine's own field name: support_locator)

The verbatim source span the reader was gated on: The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act. (the engine's own field name: support_span)

Why this finding has no audit-ready source document: Audit note · unaudited source

Why the reading was voided: admissible (the engine's own field name: void_reason)

A field disclosed by the engine under its own name: False (the engine's own field name: weak_span)

C1

NOTHING RAISED – the review RAN and raised nothing: an opinion's SILENCE, never a gate's match

MODEL ADVISORY Technical verdict advisory_no_finding · disposition abstains · severity not_established · claim type holding_relevance · tier model_advisory · engine paraphrase_panel.assess_paraphrase · #2

Nothing to do. A model read this and raised nothing – that is an opinion's SILENCE, not a gate's match, and doctrine §4 makes it no part of what this packet establishes. Whether the quotations were checked is a question for the deterministic rows and the coverage table.

Tenants may always recover all repair costs immediately after notifying the landlord.

Source against which it was checked: This finding names no source document, and no passage is shown.

The correction – the wording the source actually carries The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act.

What the model said: PANEL CLASS OVERSTATED. an admissible reader that sustains the restatement against a verbatim source span -- advisory, and it gates nothing NOT a script gate, and it sets no packet status.

Model advisory: ADVISORY_NO_FINDING

No matched passage to display. this engine does not report source offsets

Location within the draft: **NOT DRAWN** – this producer does not report where in the artifact its rows sit

Information provided by this engine and packet (25)

Whether the reading passed the span gate: True (the engine's own field name: admissible)

A field disclosed by the engine under its own name: (the engine's own field name: furniture_kind)

The model that produced the draft: none:human_authored (the engine's own field name: generator_model)

Whether the reviewer model was independent of the generator: None (the engine's own field name: independent)

Where that nearest span sits: Synthetic opinion, line 3 (the engine's own field name: nearest_supported_locator)

A field disclosed by the engine under its own name: reader-a (the engine's own field name: nearest_supported_seat)

The nearest span a reader sustained: The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act. (the engine's own field name: nearest_supported_span)

Why no support span was shown: (the engine's own field name: no_span_reason)

The panel's own class for this restatement: OVERSTATED (the engine's own field name: panel_class)

A field disclosed by the engine under its own name: panel-8e1804ce04155ee6 (the engine's own field name: panel_id)

A field disclosed by the engine under its own name: I read the paraphrase as a general summary of the remedy, subject to the stated conditions. (the engine's own field name: rationale)

A field disclosed by the engine under its own name: Scripted synthetic family reader-a (the engine's own field name: reader_lineage)

A field disclosed by the engine under its own name: reader-a (the engine's own field name: reader_model)

A field disclosed by the engine under its own name: reader (the engine's own field name: reader_role)

Which blind reader: reader-a (the engine's own field name: seat)

A field disclosed by the engine under its own name:

reason admissible; **span_offsets** [53, 175]; **support_span** The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act. (the engine's own field name: span_gate_receipt)

A field disclosed by the engine under its own name:

53; 175 (the engine's own field name: span_offsets)

A field disclosed by the engine under its own name: 19 (the engine's own field name: span_word_count)

The reader's own stance: SUPPORTED (the engine's own field name: stance)

A field disclosed by the engine under its own name:

basis raw; **end** 180; **excerpt** The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act.; **reason** ; **source** synthetic_paraphrase_opinion.txt; **start** 57; **status** located (the engine's own field name: support_evidence_span)

Where that span sits in the source: Synthetic opinion, line 3 (the engine's own field name: support_locator)

The verbatim source span the reader was gated on: The tenant may recover reasonable repair expenses after giving the landlord written notice and thirty calendar days to act. (the engine's own field name: support_span)

Why this finding has no audit-ready source document: [Audit note · unaudited source](#)

Why the reading was voided: admissible (the engine's own field name: void_reason)

A field disclosed by the engine under its own name: False (the engine's own field name: weak_span)

C2

Verified (0)

No findings in this class.

Audit note: UNAUDITED – this row does not carry `source`, so this packet cannot show you the document against which this finding was checked. Without this reference, the packet cannot indicate the specific location where the check found a match. The row is reported exactly as its producer stated it and nothing here corroborates it.

Cover summary – read this first

This page reports what was checked, what was not checked, and whether the checks used were shown to work before the document was read. An absence here is never a pass.

0 Hard failures	2 Advisory concerns	0 Not established (abstentions)	0 Verified	3 Nothing raised – and no passage established
--------------------	------------------------	------------------------------------	---------------	--

5

Claims in total

Artifact: synthetic_paraphrases.txt (brief)**SHA-256 hash of the document:**

f73470b39ae950a3a28a5198ae88e1ecbd7dc79df2e227f7988821930b028fc9

Character count of the document: 329**Verification tiers requested:**

model_advisory

Engines engaged:

paraphrase_panel.assess_paraphrase

Claims by disposition:

abstains 3; accuses 2

Pre-flight self-test – NOT RUN – engines were engaged and NOT ONE of them was forced to fire on a known-bad probe in this run, so no silence in this packet may be read as a pass

A check that cannot catch a known error is not a valid control. Before reading the document, each engaged engine that ships a probe must catch a known error and raise no finding on its correct counterpart.

Probes executed: 0**Probes failed:** 0**Methods whose pre-flight self-test failed:** *none***Engines that ran UNFALSIFIED – no probe ships with them, so their silence is not evidence:** *none***Claim types not judged by any probe:** *none*

Certification – WITHHELD

This run performed checks, but the results may not be relied upon. A packet in which the pre-flight self-test failed is not a weaker packet; rather, it is a packet in which the absence of findings carries no meaning.

Reason for withholding certification: THE CANARY DID NOT RUN IN THIS PACKET, and engines are named in `summary.engines\_engaged`. Nothing here was forced to fire on a known-bad probe, so no silence in this packet may be read as a pass. THE INSTRUMENTS DO NOT IDENTIFY THE CODE (this packet was built by the core, which holds no repository to hash), so it cannot be attributed to a version and cannot be compared to another run. PROVENANCE-GAP: run.policies.verifier_core_provenance does not carry a 40-hex core_sha, so this packet is not bound to the core distribution that produced it.

Digest of this packet's body:

66207b1081dd94599d68aac802f0857ae919ee08bb1b78b0b6441c3cf1884fb4

The certification language, in full and verbatim

This packet certifies only what the rule-based checks established by comparing the artifact against the sources and thresholds listed in the Technical Record, using the code identified there. The certified findings are those listed in coverage.checked with tier: deterministic; that list is on this packet and a reader can resolve it without trusting this sentence. It certifies nothing else. The Technical Record lists every engaged engine, and two kinds of check are outside this certificate. Model advisory checks are labelled tier: model_advisory and never set a result. Web record checks are labelled tier: qualified_web and are a record of what independently registered domains carried when they were read; they are never an authentication, and never a rule-based check comparing this artifact against a supplied source. A run that engaged that check type can still be certified, because what is certified is the rule-based findings and those findings are unaffected by it. An absence is not a pass: every claim-type and source-type pair this run did not check is listed in the Technical Record with the reason it was not checked, and an abstaining result is a statement that the check could not be made, never that it passed. A citation this run could not resolve is unverified, which is an absence and not a finding of fabrication. The digest is an unkeyed SHA-256 over the packet body, so it detects a packet edited since it was stamped and nothing more. The body is this packet without its certification block and without the two run clocks, run.started_utc and run.finished_utc. The digest identifies the content of the run, including its findings, thresholds, code identities, pre-flight self-test, and coverage, so that two runs of the same inputs produce the same digest and can be compared; a digest over the wall clock differs on every run and therefore distinguishes nothing. What that costs is stated rather than left to be found: an edit to a timestamp alone does not break this digest. Anyone who edits the packet can recompute it with the standard library, and the validator re-derives what it can from the packet's own findings for that reason; an internal contradiction is what a reader can actually detect. Neither is a defence against a party who controls the packet: this is an integrity record, not a signature, and treating it as one would be the kind of claim this estate exists to stop making.

Coverage

No checking method was engaged.

Every combination of method, claim type, and source type that this run did not check, with the reason.

Why not: THE SOURCE TEXT IS NOT RETAINED BY THIS SURFACE. Each admitted reading carries the support span and offsets recorded by the span gate; a void reading may carry no admitted span. The locator is retained, but this appendix does not hold the full source opinion, so the span is re-checkable only against the cited source itself. NOT COUNTED AS COVERAGE, AND NOT HIDDEN: 5 row(s) of this packet come from this seat and are in `claims[]`, labelled. This pair is declared UNCHECKED and does not appear in `coverage.checked`.

Engine: paraphrase_panel.assess_paraphrase; **Claim type:** holding_relevance; **Source type:** *; **Tier:** model_advisory

Engine: paraphrase_panel.assess_paraphrase; **Claim type:** holding_relevance; **Source type:** *; **Tier:** model_advisory

Engine: paraphrase_panel.assess_paraphrase; **Claim type:** holding_relevance; **Source type:** *; **Tier:** model_advisory

Why not: THE PARAPHRASE PANEL DID NOT RUN (Synthetic outage: neither blind reader was available.). `readers` is None rather than [] for exactly this reason: an empty list would read as a panel that found nothing, and this is a panel that did not happen. NOT COUNTED AS COVERAGE, AND NOT HIDDEN: 5 row(s) of this packet come from this seat and are in `claims[]`, labelled. This pair is declared UNCHECKED and does not appear in `coverage.checked`.

Engine: paraphrase_panel.assess_paraphrase; **Claim type:** holding_relevance; **Source type:** *; **Tier:** model_advisory

Engine errors

No engaged engine raised an exception.

The pre-flight self-test, probe by probe

Each entry tests whether a check catches a known error and raises no finding on its correct counterpart. A check not shown to catch errors proves nothing by raising none.

No pre-flight self-test was executed in this packet. Its findings were generated by engines operating elsewhere, and no check within this packet was demonstrated to function.

Frozen canary corpus: NOT RECORDED – no text reached this packet, so it cannot identify the bytes

Canary corpus version: –

Tallies

By verdict:

advisory_concern_raised 2; **advisory_no_finding** 3

By engine:

paraphrase_panel.assess_paraphrase 5

By severity:

advisory_concern 2; not_established 3

Claim and source type pairs not checked: 4

Provenance – what produced this packet

The artifact to which this packet pertains

Fit to be verified at all: **Checked – the document itself extracted cleanly enough to be read**

Measured: tokens 47, alpha_density 0.9786, split_word_rate 0.0, interior_caps_rate 0.0, mixed_alnum_token_rate 0.0

Sources

Each document provided to the run, with the digest of the bytes read

Source: synthetic_paraphrase_opinion.txt; **Type:** case_law; **SHA-256:**

e8909fc5778443a9e35a261a30039e75791709df6108b26e99c7e4b40e393f5b; **Characters:** 298;

Suitability for verification: **Checked – fit to verify against**

Measured: tokens 43, alpha_density 0.9802, split_word_rate 0.0, interior_caps_rate 0.0, mixed_alnum_token_rate 0.0

The software that ran

The instruments identify the code: no

A measured file had uncommitted changes at run time: –

Orchestrator version: adapter:synthetic-chambers-panel@core-1.0

Packet schema version: 8

Started (UTC): 2026-09-28T00:00:00Z

Finished (UTC): 2026-09-28T00:00:00Z

Every file that can influence the result in this packet, and the state each was in when the run started.

Instrument	Object
------------	--------

The thresholds in force

Minimum quoted words: 8

Minimum quoted characters: 25

Minimum words per retained fragment: 4

Statuses classified as clean:

verbatim_ok

Required independent internet sources: 3

Character span from anchor where value may appear: 400

Shared five-word sequences that cause two web pages to count as one source: 0.55

Word count per sequence in the comparison: 5

Resolved policy

Policy:

adapter synthetic-chambers-panel; **artifact_kind_at_source** brief; **paraphrase_panels** [{ 'class': 'PANEL_UNAVAILABLE', 'restatement': 'A tenant may recover consequential business losses as well as repair costs.', 'readers': None, 'tiebreaker': None, 'admissible_count': 0, 'nearest_supported': None, 'reason': 'Synthetic outage: neither blind reader was available.', 'locate': None, 'seats_consulted': 0, 'short_circuit': False}]

Digests

Artifact: f73470b39ae950a3a28a5198ae88e1ecbd7dc79df2e227f7988821930b028fc9

Sources:

synthetic_paraphrase_opinion.txt

e8909fc5778443a9e35a261a30039e75791709df6108b26e99c7e4b40e393f5b

Frozen canary corpus: NOT RECORDED – no text reached this packet, so it cannot identify the bytes

Automated review and human sign-off

This summary reports only checks already disclosed on rows. The fields are blank for a human reviewer; they are not a system certification.

Independent Layer-3 checks: not measured.; Two-model materiality checks: not measured.; Two-model paraphrase checks: not measured.; Weak nearest-attribution links: 0.

Certified by: _____ Date: _____

Reviewed by: _____ Date: _____

Approved by: _____ Date: _____

Chambers Serif (derived from Source Serif 4) and Liberation Sans are embedded under SIL OFL 1.1; DejaVu Sans provides fallback glyphs under the Bitstream Vera and Arev font licenses.

Packet fields intentionally omitted (7)

certification.certified – the state’s SHADOW -- a boolean kept for callers that only ask the yes/no question, and `validate\_packet` refuses a packet where the two disagree. Printing both would invite a reader to compare two spellings of one decision instead of reading the state and its reason, which are what the next move depends on.;

run.artifact.integrity.reporter_typography – the disclosed backtick/brace sample. The measurement’s NOTE KEY is rendered in the integrity cell and these tokens are not: printing four backticked words beside a source this gate did not refuse would read as evidence about a document nothing here took issue with, and this measurement decides nothing by construction.;

run.sources[].integrity.override_of_reasons – the reason keys AS THEY STOOD WHEN THE OPERATOR ASSERTED. The cell prints `integrity.reasons` -- the same keys, live -- and printing both would offer a reader two places to read one fact. This copy exists so a later re-measurement of the same bytes can be compared to what the operator was actually looking at.;

run.sources[].integrity.reporter_typography – the disclosed backtick/brace sample. The measurement’s NOTE KEY is rendered in the integrity cell and these tokens are not: printing four backticked words beside a source this gate did not refuse would read as evidence about a document nothing here took issue with, and this measurement decides nothing by construction.;

summary.canary.failed_engines – a copy of `canary.failed\_engines`, rendered in the canary block, named again in the certification reason, and re-derived against the original by `validate\_packet`.;

summary.canary.probes_failed – a copy of `canary.probes\_failed`, rendered in the canary block and re-derived against it by `validate\_packet`.;

summary.canary.status – a copy of `canary.status`, which the canary block renders in full. `validate\_packet` refuses a copy that disagrees with its original, so the second printing would add no assurance -- and two places to read one fact is how a reader learns to check neither.